

WE WILL NOT BE UNDERSOLD!

Flyer items listed are most requested / HOT LIST
Most items ready for local delivery set in place.
Please contact us at **314.487.2670** for immediate needs.

Or visit our website www.sessionfixture.com

Visit www.truemfg.com for hundreds of additional options.

T-19-HC

\$3,393.43



Refrigerator,
reach-in,
one-section

Dimensions
75.25(h) x
27(w) x
24.5(d)

T-23-HC

\$4,017.11



Refrigerator,
reach-in,
one-section

Dimensions
78.38(h) x
27(w) x
29.5(d)

T-49-HC

\$5,342.76



Refrigerator,
reach-in,
two-section

Dimensions
78.38(h) x
54.13(w) x
29.5(d)

T-72-HC

\$7,574.32



Refrigerator,
reach-in,
three-section

Dimensions
78.38(h) x
78.13(w) x
29.5(d)

true
REFRIGERATION

T-Series®
BOTTOM-MOUNT REFRIGERATION

Proven performance in refrigerated and frozen food storage, T-Series is the number one selling Reach-in cabinet, chosen by more restaurant owners than any other upright refrigerator.

1, 2 and 3 Section Models

T-19F-HC

\$3,734.58



Freezer,
reach-in,
one-section

Dimensions
75.25(h) x
27(w) x
24.5(d)

T-23F-HC

\$5,018.82



Freezer,
reach-in,
one-section

Dimensions
78.38(h) x
27(w) x
29.5(d)

T-49F-HC

\$7,038.26



Freezer,
reach-in,
two-section

Dimensions
78.38(h) x
54.13(w) x
29.5(d)

T-72F-HC

\$9,716.44



Freezer,
reach-in,
three-section

Dimensions
78.38(h) x
78.13(w) x
29.5(d)

GDM | Glass Door Merchandisers

Multiple Sizes

Solutions for Any Concept

Grocery and convenience retailers can now strategically leverage self-contained refrigeration systems. Optimize merchandising capabilities for any space and configuration.

Self-Contained Refrigeration

True's Retail Merchandisers are the industry's most complete large-format solution. With self-contained architecture and eco-friendly refrigerant, the series reinvents retail merchandising.

Reliability and Performance

With its advanced technology and innovative design, the TRM series not only outperforms traditional models but also takes the lead in environmental responsibility.

GDM-19T-HC~TSL01

\$3,330.27


Refrigerated Merchandiser, one-section

Dimensions
78.63(h) x
27(w) x
24.88(d)

GDM-23-HC~TSL01

\$3,245.66


Refrigerated Merchandiser, one-section

Dimensions
78.63(h) x
27(w) x
29.88(d)

GDM-43-HC~TSL01

\$5,483.87


Refrigerated Merchandiser, two-section

Dimensions
78.63(h) x
47.13(w) x
29.88(d)

GDM-45-HC-LD

\$4,963.53


Refrigerated Merchandiser, two-section

Dimensions
78.63(h) x
51.13(w) x
29.63(d)

GDM-47-HC-LD

\$5,559.42


Refrigerated Merchandiser, two-section

Dimensions
78.63(h) x
54.13(w) x
29.63(d)

GDM-19T-F-HC~TSL01

\$5,387.18


Freezer Merchandiser, one-section

Dimensions
78.63(h) x
27(w) x
24.88(d)

GDM-23F-HC~TSL01

\$5,551.56


Freezer Merchandiser, one-section

Dimensions
78.63(h) x
27(w) x
29.88(d)

GDM-49F-HC~TSL01

\$8,831.67


Freezer Merchandiser, two-section

Dimensions
78.63(h) x
54.13(w) x
29.88(d)

GDM-72F-HC~TSL01

\$11,621.35


Freezer Merchandiser, three-section

Dimensions
78.63(h) x
78.13(w) x
29.88(d)

GDM-49-HC~TSL01

\$5,184.42


Refrigerated Merchandiser, two-section

Dimensions
78.63(h) x
54.13(w) x
29.88(d)


Food Preparation • Restaurant > Sandwich/Salad
TSSU-27-08-HC
\$2,902.39

(8) 1/6 size (4"D) poly pans, 11-3/4"D white polyethylene cutting board, (1) door, (2) PVC coated adjustable wire shelves



Dimensions
36.75(h) x
27.63(w) x
30.13(d)

TSSU-48-12-HC
\$4,468.56

(12) 1/6 size (4"D) poly pans, 11-3/4"D white polyethylene cutting board, (2) full doors, (4) PVC coated adjustable wire shelves



Dimensions
36.75(h) x
48.38(w) x
30.13(d)

TSSU-60-16-HC
\$4,758.65

(16) 1/6 size (4"D) poly pans, 11-3/4"D white polyethylene cutting board, (2) full doors, (4) PVC coated adjustable wire shelves



Dimensions
36.75(h) x
60.38(w) x
30.13(d)

TSSU-72-18-HC
\$5,605.35

(18) 1/6 size (4"D) poly pans, 11-3/4"D white polyethylene cutting board, (3) full doors, (6) PVC coated adjustable wire shelves



Dimensions
36.75(h) x
72.38(w) x
30.13(d)

TSSU-27-12M-C-HC
\$3,468.97

(12) 1/6 size (4"D) poly pans, 8-7/8"D white polyethylene cutting board, (1) door, (2) PVC coated adjustable wire shelves



Dimensions
40.38(h) x
27.63(w) x
34.13(d)

TSSU-48-18M-B-HC
\$5,057.20

(18) 1/6 size (4"D) poly pans, 8-7/8"D white polyethylene cutting board, (2) full doors, (4) PVC coated adjustable wire shelves



Dimensions
40.38(h) x
48.38(w) x
34.88(d)

TSSU-60-24M-B-ST-HC
\$5,612.30

(24) 1/6 size (4"D) poly pans, (2) full doors, (4) PVC coated adjustable wire shelves



Dimensions
40.38(h) x
60.38(w) x
34.06(d)

TSSU-72-30M-B-ST-HC
\$6,476.52

(30) 1/6 size (4"D) poly pans, 8-7/8"D white polyethylene cutting board, (3) full doors, (6) PVC coated adjustable wire shelves



Dimensions
40.38(h) x
72.38(w) x
34.13(d)


Food Preparation • Restaurant > Pizza Prep
SPEC SERIES®
TPP-AT-44-HC
\$4,719.97

(1) door, (2) PVC coated adjustable wire shelves



Dimensions
38.88(h) x
44.75(w) x
33.63(d)

TPP-AT-67-HC
\$6,516.10

(2) full doors, (4) PVC coated adjustable wire shelves



Dimensions
38.88(h) x
67.38(w) x
33.63(d)

TPP-AT2-93-HC~SPEC3
\$10,279.99

(3) full doors with locks, (6) PVC coated adjustable wire shelves



Dimensions
38.88(h) x
93.5(w) x
33.63(d)

TPP-AT-119-HC
\$13,266.09

(4) full doors, (8) PVC coated adjustable wire shelves



Dimensions
38.88(h) x
119.25(w) x
33.63(d)


**Food Preparation.
Restaurant**


Bar > TD Horizontal Bottle Coolers

TD-36-12-HC

\$2,570.00

(11cs) 12 oz. bottles or (14.5cs) 12 oz. can capacity, (2) PVC coated adjustable bin dividers



Dimensions
33.5(h) x
36.63(w) x
26.88(d)

TD-50-18-HC

\$2,630.43

(16.5cs) 12 oz. bottles or (24cs) 12 oz. can capacity, (3) PVC coated adjustable bin dividers



Dimensions
33.5(h) x
49.5(w) x
26.88(d)

TD-65-24-HC

\$2,928.98

(22cs) 12 oz. bottles or (32.5cs) 12 oz. can capacity, (4) PVC coated adjustable bin dividers



Dimensions
33.5(h) x
64.5(w) x
26.88(d)

TD-95-38-HC

\$3,905.01

(37.5cs) 12 oz. bottles or (55cs) 12 oz. can capacity, (7) PVC coated adjustable bin dividers



Dimensions
33.5(h) x
95.13(w) x
26.88(d)

Bar > TDD DIRECT DRAW REFRIGERATION

TDD-1-HC

\$2,297.74

23-1/2"W, (1) 1/2 keg capacity, stainless steel counter top, (1) door with lock, (1) column type beer faucet



Dimensions
39.75(h) x
23.5(w) x
31.25(d)

TDD-2-HC

\$3,552.07

(2) 1/2 keg capacity, (2) solid hinged doors with locks, (2) columns single faucet draft arm



Dimensions
37(h) x
58.88(w) x
27.13(d)

TDD-3-HC

\$3,913.77

(3) 1/2 keg capacity, stainless steel counter top, (2) solid hinged doors with locks, (2) 3" dia. insulated beer columns with single faucet draft arm



Dimensions
37(h) x
69.13(w) x
27.13(d)

TDD-4-HC

\$4,236.80

(4) 1/2 keg capacity, stainless steel counter top, (3) solid hinged doors with locks, (2) 3" dia. insulated beer columns with single faucet draft arm



Dimensions
37(h) x
90.38(w) x
27.13(d)

TBB-2G-HC-LD

\$3,051.97

Two-section, 58-7/8"W, (88) 6-packs or (2) 1/2 keg capacity, (4) shelves, condensing unit on left, stainless steel top, (2) glass doors with locks



Dimensions
37(h) x
58.88(w) x
27.75(d)

Bar > TBB BACK BAR REFRIGERATION

TBB-2-HC

\$2,916.59

Two-section, 58-7/8"W, (88) 6-packs or (2) 1/2 keg capacity, (4) shelves, condensing unit on left, stainless steel top, (2) full doors with locks



Dimensions
37(h) x
58.88(w) x
27.75(d)

TBB-3-HC

\$3,192.18

Two-section, 69-1/8"W, (112) 6-packs or (3) 1/2 keg capacity, (4) shelves, condensing unit on left, (4) shelves, stainless steel top, (2) full doors with locks



Dimensions
37(h) x
69.13(w) x
27.75(d)

TBB-4-HC

\$3,751.80

Three-section, 90-3/8"W, (152) 6-packs or (4) 1/2 keg capacity, (6) shelves, condensing unit on left, stainless steel top, (3) full doors with locks



Dimensions
37(h) x
90.38(w) x
27.75(d)

TBB-3G-HC-LD

\$3,451.75

two-section, 58-7/8"W, (88) 6-packs or (2) 1/2 keg capacity, (4) shelves, condensing unit on left, stainless steel top, (2) glass doors with locks



Dimensions
37(h) x
69.13(w) x
27.75(d)

TBB-4G-HC-LD

\$4,144.33

Three-section, 90-3/8"W, (152) 6-packs or (4) 1/2 keg capacity, (6) shelves, condensing unit on left, stainless steel top, (3) glass doors with locks



Dimensions
37(h) x
90.38(w) x
27.75(d)



UNDERCOUNTER REFRIGERATION

UNDERCOUNTER REFRIGERATORS

Solid & Glass Doors, Solid Drawers



UNDERCOUNTER FREEZERS

Solid Doors & Drawers



Undercounter | TUC®

UNDERCOUNTER REFRIGERATORS

- Refrigerators maintain cold 33°F to 38°F (0.5°C to 3.3°C) product temperatures.
- All stainless steel front, top and sides.
- Corrosion resistant GalFan coated steel back.
- Interior - attractive, clear aluminum sides and top, coved corners and stainless steel floor.
- Recessed handles
- Adjustable, heavy-duty, PVC-coated wire shelves (not available in drawer models).
- Work surface 36" (915mm) high.
- Low profile models (31-7/8" (810mm) work surface height) upcharge applies or ADA compliant with 34" (864mm) work surface height available; no charge. (models -27, -36, -48, -60, -72).
- All production of True models comply with NSF/ANSI standard 7.
- Self-contained system.

TUC-27-HC

\$2,524.07

33 - 38°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top



Dimensions
29.75(h) x
27.63(w) x
30.13(d)

TUC-48-HC

\$3,790.79

33 - 38°F, (2) stainless steel doors, (4) PVC coated adjustable wire shelves, stainless steel top & sides



Dimensions
29.75(h) x
48.38(w) x
30.13(d)

TUC-60-HC

\$4,206.58

33 - 38°F, (2) stainless steel doors, (4) PVC coated adjustable wire shelves, stainless steel top & sides



Dimensions
29.75(h) x
60.38(w) x
30.13(d)

TUC-72-HC

\$4,819.39

33 - 38°F, (3) stainless steel doors, (6) PVC coated adjustable wire shelves, stainless steel top & sides



Dimensions
29.75(h) x
72.38(w) x
30.13(d)

UNDERCOUNTER FREEZERS

- Freezers maintain -10°F (-23.3°C) product temperatures.
- Automatic defrost system on freezer models time-initiated, time-terminated.
- All stainless steel front, top and sides.
- Corrosion resistant GalFan coated steel back.
- Interior - attractive, NSF/ANSI standard 7 approved, clear aluminum sides and top, coved corners and stainless steel floor.
- Recessed handles
- Adjustable, heavy-duty, PVC-coated wire shelves (not available in drawer models).
- Work surface 36" (915mm) high.
- Low profile models (31-7/8" (810mm) work surface height) upcharge applies or ADA compliant with 34" (864mm) work surface height available; no charge. (models -27, -36, -48, -60, -72).
- Self-contained system.

TUC-27F-HC

\$3,036.86

-10°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top, front & side



Dimensions
29.75(h) x
27.63(w) x
30.13(d)

TUC-48F-HC

\$4,406.01

-10°F, (2) stainless steel doors, (4) PVC coated adjustable wire shelves, stainless steel top & sides



Dimensions
29.75(h) x
48.38(w) x
30.13(d)

TUC-60F-HC

\$5,903.90

-10°F, stainless steel top & sides, (2) stainless steel doors, (4) PVC coated adjustable wire shelves, stainless steel top & sides



Dimensions
29.75(h) x
60.38(w) x
30.13(d)



The undercounter series offers exceptional refrigeration that slides easily under existing countertops for space efficiency, or provides a functional work surface for easy food preparation and reliable cold storage.



WORKTOP REFRIGERATION

WORKTOP REFRIGERATORS Solid Doors & Drawers



WORKTOP FREEZERS Solid Doors



Worktop | TWT™

WORKTOP REFRIGERATORS

- Refrigerators maintain cold 33°F to 38°F (0.5°C to 3.3°C) product temperatures.
- All stainless steel front, top and sides.
- Corrosion resistant GalFan coated steel back.
- Interior - attractive, clear aluminum sides and top, coved corners and stainless steel floor.
- One piece formed construction backsplash prevents bacteria and food particles from being trapped underneath as with other two piece worktop units.
- Recessed handles
- Adjustable, heavy-duty, PVC-coated wire shelves (not available in drawer models).
- Work surface 36" (915mm) high.
- Swing doors are self-closing with 90° stay open feature.

TWT-27-HC

\$2,598.40

One-section, rear mounted self-contained refrigeration, stainless steel top with rear splash, (1) stainless steel door



Dimensions
33.38(h) x
27.63(w) x
30.13(d)

TWT-48-HC

\$3,895.94

Two-section, rear mounted self-contained refrigeration, stainless steel top with rear splash, (2) stainless steel doors



Dimensions
33.38(h) x
48.38(w) x
30.13(d)

TWT-60-HC

\$4,325.03

Two-section, rear mounted self-contained refrigeration, stainless steel top with rear splash, (2) stainless steel doors



Dimensions
33.38(h) x
60.38(w) x
30.13(d)

TWT-72-HC

\$4,959.30

Three-section, rear mounted self-contained refrigeration, stainless steel top with rear splash, (3) stainless steel doors



Dimensions
33.38(h) x
72.38(w) x
30.13(d)

WORKTOP FREEZERS

- Freezers maintain -10°F (-23.3°C) product temperatures.
- Automatic defrost system on freezer models time-initiated, time-terminated.
- All stainless steel front, top and sides.
- Corrosion resistant GalFan coated steel back.
- Interior - attractive, clear aluminum sides and top, coved corners and stainless steel floor.
- One piece formed construction backsplash prevents bacteria and food particles from being trapped underneath as with other two piece worktop units.
- Recessed handles
- Adjustable, heavy-duty, PVC-coated wire shelves (not available in drawer models).
- Work surface 36" (915mm) high.

TWT-27F-HC

\$3,049.25

-10°F, rear mounted self-contained refrigeration, stainless steel top with rear splash, (1) stainless steel door



Dimensions
33.38(h) x
27.63(w) x
30.13(d)

TWT-48F-HC

\$4,508.15

Two-section, -10°F, rear mounted self-contained refrigeration, stainless steel top with splash, (2) solid stainless steel doors



Dimensions
33.38(h) x
48.38(w) x
30.13(d)

TWT-60F-HC

\$6,327.54

Two-section, -10°F, rear mounted self-contained refrigeration, stainless steel top with rear splash, (2) stainless steel doors



Dimensions
33.38(h) x
60.38(w) x
30.13(d)

True
REFRIGERATION

Worktop refrigerators provide a functional work surface as well as a one-piece formed construction stainless backsplash and 360° circular airflow for the most efficient and uniform product cooling.